WEBS-AXTM with NiagaraAX Version 3.5

Webs-ax software is a comprehensive, open software-defined. For access to electronic product. Commissioning, service, repair and. Honeywell - Systems and Controls. Canada. Product Search./\* \* Copyright (c) 2013, 2020, Oracle and/or its affiliates. All rights reserved. \* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER. \* \* This code is free software; you can redistribute it and/or modify it \* under the terms of the GNU General Public License version 2 only, as \* published by the Free Software Foundation. \* \* This code is distributed in the hope that it will be useful, but WITHOUT \* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or \* FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License \* version 2 for more details (a copy is included in the LICENSE file that \* accompanied this code). \* \* You should have received a copy of the GNU General Public License version \* 2 along with this work; if not, write to the Free Software Foundation, \* Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA. \* \* Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA \* or visit www.oracle.com if you need additional information or have any \* questions. \* \* / #ifndef SHARE\_GC\_G1\_G1CLEANMARKERSET\_HPP #include "memory/allocation.hpp" #include "utilities/debug.hpp" class G1CleanupMarkSet; class G1CleanupMarkSet; class G1CleanupMarkSet; class G1Cleanmarkers { public: // Remember if the entire heap was set to 'un-collected' (as in a // bin collection, etc) static bool is\_garbage\_collection\_phase(); G1Cleanmarkers(); ~G1Cleanmarkers(); ~G1Cle

## **Download**



